

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

=====

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

=====

PRODUCT NAME : G-2 SCRATCH COAT FILLER  
IDENTIFICATION NUMBER: FILLG-200000 PREPARE / REVISED: 08/07/06  
PRODUCT USE/CLASS : FILLER

SUPPLIER:	MANUFACTURER:
Dudick, Inc.	Dudick, Inc.
1818 Miller Parkway	1818 Miller Parkway
Streetsboro, Ohio 44241	Streetsboro, Ohio 44241

CHEM-TEL: 800-255-3924	CHEM-TEL: 800-255-3924
24 HOURS A DAY	24 HOURS A DAY

PREPARER: DUDICK, INC., PHONE: 800-322-1970

=====

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

=====

ITEM	CHEMICAL NAME	CAS NUMBER	WT/WT % LESS THAN
01	TALC, NONASBESTIFORM	14807-96-6	100.0 %

----- EXPOSURE LIMITS -----						
ITEM	ACGIH TLV-TWA	ACGIH TLV-STEL	OSHA PEL-TWA	OSHA PEL-CEILING	COMPANY TLV-TWA	SKIN
01	NE	NE	NE	NE	NE	NO

(See Section 16 for abbreviation legend)

=====

SECTION 3 - HAZARDS IDENTIFICATION

=====

\*\*\* EMERGENCY OVERVIEW \*\*\*: RESPIRATORY TRACT IRRITANT. RESPIRATORY HAZARD.

EFFECTS OF OVEREXPOSURE - EYE CONTACT: MILD EYE IRRITANT. MAY CAUSE TEMPORARY MECHANICAL IRRITATION.

EFFECTS OF OVEREXPOSURE - SKIN CONTACT: REPEATED EXPOSURE MAY CAUSE DRYING AND FLAKING OF THE SKIN.

EFFECTS OF OVEREXPOSURE - INHALATION: MAY CAUSE IRRITATION OF THE NOSE, THROAT, AND LUNGS.

EFFECTS OF OVEREXPOSURE - INGESTION: NONTOXIC BY INGESTION.

(Continued on Page 2)

=====

=====|  
| SECTION 3 - HAZARDS IDENTIFICATION |  
=====|

EFFECTS OF OVEREXPOSURE - CHRONIC HAZARDS: PROLONGED EXPOSURE TO EXCESSIVE QUANTITIES OF TALC CAN RESULT IN SCARRING OF THE LUNGS (TALCOSIS) OR OF THE COVERING OF THE LUNGS (PLEURAL THICKENING). TALCOSIS MAY PRODUCE NO SYMPTOMS OR MAY BE ASSOCIATED WITH NON-SPECIFIC SYMPTOMS. BOTH CONDITIONS CAN BE DETECTED BY CHEST RADIOGRAPH EXAMINATION. BRONCHIAL IRRITATION (BRONCHITIS) MAY CAUSE EXCESSIVE SPUTUM PRODUCTION. LONG TERM EXPOSURE TO MINERAL DUSTS IS CONSIDERED AN AGGRAVATING FACTOR FOR CHRONIC, SIMPLE BRONCHITIS. PREEXISTING LUNG DISEASES MAY BE AGGRAVATED BY THIS PRODUCT.

PRIMARY ROUTE(S) OF ENTRY: INHALATION EYE CONTACT

=====|  
| SECTION 4 - FIRST AID MEASURES |  
=====|

FIRST AID - EYE CONTACT: HOLD OPEN EYE LIDS AND FLUSH WITH COPIOUS AMOUNTS OF FLOWING WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION. FLUSH EYES WITH FLOWING WATER UNTIL IRRITATION CEASES. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.

FIRST AID - SKIN CONTACT: WASH AFFECTED AREAS THOROUGHLY WITH SOAP AND WATER.

FIRST AID - INHALATION: REMOVE VICTIM TO FRESH AIR. IF VICTIM IS NOT BREATHING, ARTIFICIAL RESPIRATION SHOULD BE ADMINISTERED BY QUALIFIED PERSONNEL. SUPPLEMENTAL OXYGEN MAY BE INDICATED. CALL A PHYSICIAN.

FIRST AID - INGESTION: NONE NORMALLY REQUIRED.

=====|  
| SECTION 5 - FIRE FIGHTING MEASURES |  
=====|

FLASH POINT: N.A.

LOWER EXPLOSIVE LIMIT: N.A.

UPPER EXPLOSIVE LIMIT: N.A.

AUTOIGNITION TEMPERATURE: NA

EXTINGUISHING MEDIA: ALCOHOL FOAM CO2 DRY CHEMICAL FOAM WATER FOG

UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE.

SPECIAL FIREFIGHTING PROCEDURES: PRODUCT IS NON-FLAMMABLE. CONSIDERATION MUST BE GIVEN TO OTHER MATERIAL INVOLVED IN THE FIRE.

=====|  
| SECTION 6 - ACCIDENTAL RELEASE MEASURES |  
=====|

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: SCRAPE UP AND PLACE IN SUITABLE CONTAINER FOR DISPOSAL. IF PRODUCT IS UNCONTAMINATED, SCRAPE UP FOR REUSE. OTHERWISE, PLACE IN SUITABLE CONTAINER FOR DISPOSAL. IF CONTAMINATED WITH A HAZARDOUS MATERIAL, FOLLOW SPILL PROCEDURES FOR THAT MATERIAL.

(Continued on Page 3)

=====

```

=====
SECTION 7 - HANDLING AND STORAGE
=====

```

HANDLING: FOR INDUSTRIAL USE ONLY. AVOID BREATHING DUST. WEAR APPROPRIATE SAFETY EQUIPMENT WHEN HANDLING.

STORAGE: STORE OFF OF THE GROUND IF POSSIBLE TO AVOID CONTAMINATION WITH MOISTURE.

```

=====
SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION
=====

```

ENGINEERING CONTROLS: GENERAL MECHANICAL VENTILATION MAY BE SUFFICIENT TO MINIMIZE VAPOR CONCENTRATIONS. LOCAL EXHAUST MAY BE REQUIRED.

RESPIRATORY PROTECTION: CONSIDERATIONS MUST BE GIVEN TO OTHER COMPONENTS OF THIS SYSTEM. USE RESPIRATORY EQUIPMENT SUITABLE TO THE MOST SEVERE COMPONENT. NIOSH APPROVED DUST/MIST RESPIRATOR RATED FOR RESPIRABLE SILICA.

SKIN PROTECTION: CLEAN CLOTH GLOVES. IF USING WITH OTHER COMPONENTS, FOLLOW THE RECOMMENDATIONS OF THE MOST SEVERE COMPONENT.

EYE PROTECTION: SAFETY GLASSES RECOMMENDED. IF USED WITH OTHER MORE HAZARDOUS MATERIALS, FOLLOW THE RECOMMENDATIONS OF THE MOST SEVERE COMPONENT.

OTHER PROTECTIVE EQUIPMENT: CLEAN, FULL BODY COVERING TO MINIMIZE SKIN CONTACT WITH MATERIAL. AN EYEWASH STATION AND SAFETY SHOWER IS RECOMMENDED NEAR WORK AREA.

HYGIENIC PRACTICES: SMOKING OR EATING IN THE WORK AREA SHOULD NOT BE PERMITTED. WASH THOROUGHLY AFTER HANDLING MATERIAL.

```

=====
SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES
=====

```

BOILING RANGE	: N.A.	VAPOR DENSITY	: Is heavier than air
ODOR	: NONE	ODOR THRESHOLD	: NA
APPEARANCE	: POWDER	EVAPORATION RATE	: Is slower than Ether
SOLUBILITY IN H2O	: INSOLUBLE		
FREEZE POINT	: NA	SPECIFIC GRAVITY	: 3.9625
VAPOR PRESSURE	: NA	pH @ 0.0 %	: NA
PHYSICAL STATE	: SOLID	VISCOSITY	: NA
COEFFICIENT OF WATER/OIL DISTRIBUTION: NE			

(See Section 16 for abbreviation legend)

```

=====
SECTION 10 - STABILITY AND REACTIVITY
=====

```

CONDITIONS TO AVOID: NONE.

INCOMPATIBILITY: NONE KNOWN.

(Continued on Page 4)



=====|  
| SECTION 15 - REGULATORY INFORMATION |  
=====|

CERCLA - SARA HAZARD CATEGORY:

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

IMMEDIATE HEALTH HAZARD    CHRONIC HEALTH HAZARD

SARA SECTION 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

----- CHEMICAL NAME -----      CAS NUMBER      WT/WT % IS LESS THAN  
No SARA Section 313 components exist in this product.

TOXIC SUBSTANCES CONTROL ACT:

The chemical substances in this product are on the TSCA Section 8 Inventory.

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

----- CHEMICAL NAME -----      CAS NUMBER  
No information is available.

U.S. STATE REGULATIONS: AS FOLLOWS -

NEW JERSEY RIGHT-TO-KNOW:

The following materials are non-hazardous, but are among the top five components in this product:

----- CHEMICAL NAME -----      CAS NUMBER  
No non-hazardous materials are among the top five ingredients.

PENNSYLVANIA RIGHT-TO-KNOW:

The following non-hazardous ingredients are present in the product at greater than 3%:

----- CHEMICAL NAME -----      CAS NUMBER  
No non-hazardous ingredients are present at greater than 3%.

CALIFORNIA PROPOSITION 65:

WARNING: The chemical(s) noted below and contained in this product, are known to the state of California to cause cancer, birth defects or other reproductive harm:

----- CHEMICAL NAME -----      CAS NUMBER  
No Proposition 65 chemicals exist in this product.

INTERNATIONAL REGULATIONS: AS FOLLOWS -

CANADIAN WHMIS: This MSDS has been prepared in compliance with Controlled Product Regulations except for use of the 16 headings.

(Continued on Page 6)

=====

```

=====
|                                     |
|                                     |
|          SECTION 15 - REGULATORY INFORMATION          |
|                                     |
|                                     |
=====

```

CANADIAN WHMIS CLASS: No information available.

```

=====
|                                     |
|                                     |
|          SECTION 16 - OTHER INFORMATION          |
|                                     |
|                                     |
=====

```

HMIS RATINGS - HEALTH: 2\*      FLAMMABILITY: 0      REACTIVITY: 0

VOLATILE ORGANIC COMPOUNDS (VOCS): 0.00 lbs/gal,    0 grams/ltr

LEGEND: N.A. - Not Applicable, N.E. - Not Established,  
N.D. - Not Determined

=====

The information contained on this MSDS has been compiled from information obtained from raw material suppliers and is believed to be accurate. It is the responsibility of the user to comply with all Federal, State and Local Regulations.

=====  
<END OF MSDS>